

NETAJI SUBHAS INSTITUTE OF TECHNOLOGY
AZAD HIND FAUJ MARG: SECTOR-3, DWARKA
NEW DELHI-110075.

NOTICE INVITING QUOTATION

Sealed item rate quotations are hereby invited on behalf of Board of Governors, NSIT, New Delhi from the appropriate class of CPWD, M.E.S., Railways and Telecommunication or the specialized agencies for the following work so as to reach the office of undersigned up to 3.00 P.M. on 08.06.2009. Quotations shall be opened on the same day at 3.30 P.M.:

Name of work: AR & MO NSIT Campus during 2009-10.

Sub-Head: Misc. external water supply works at NSIT Campus.

Estimated Cost: Rs. 1,24,885.00

TERMS & CONDITIONS:

1. Time allowed: One Month
2. Specifications: CPWD Specifications 1996, Vol-I to VI with upto date correction slips.
3. Schedule of Quantity: As per Annexure-A.
4. T &P: No T & P shall be issued from NSIT.
5. Extra items/Substituted items if required shall be paid on the basis of market rates.

EXECUTIVE ENGINEER (C)/M

NETAJI SUBHAS INSTITUTE OF TECHNOLOGY
AZAD HIND FAUJ MARG: SECTOR-3,
DWARKA, NEW DELHI-110078

SCHEDULE OF QUANTITY

Name of work: AR & MO NSIT Campus during 2009-10.

Sub-Head: Misc. external water supply works at NSIT Campus.

S. No.	Description	Unit	Qty.	Rate	Amount
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means over areas (exceeding 30cm in depth. 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5m, disposed earth to be levelled and neatly dressed.				
	All kinds of soil	cum	7.00		
2	Excavating trenches of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, depth upto 1.5 m including getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m :				
	All kinds of soil				
	Pipes, cables etc. exceeding 80 mm dia. but not exceeding 300 mm dia.	metre	40.00		
3	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, including cutting and making good the walls etc.				
	Internal work – Exposed on wall.				
	15 mm dia. nominal bore	metre	8.00		
4	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc.				
	External work				
	80 mm dia. nominal bore	metre	3.00		
5	Providing and fixing brass ferrule with C.I. mouth cover including boring and tapping the main:				
	15 mm nominal bore	each	2.00		
6	Providing and laying S&S C.I. standard specials such as tees, bends, collars, tapers, caps etc. (Heavy class) :				
	Up to 300 mm dia.	Quintal	4.15		
7	Providing and laying flanged C.I. standard specials such as tees, bends, collars, tapers, caps etc., suitable for flanged jointing as per IS : 1538 :				
	Up to 300 mm dia.	Quintal	1.75		
8	Providing and laying S&S centrifugally cast (spun) iron pipes (Class LA) conforming to IS - 1536 :				
	150 mm dia. Pipe	metre	26.00		
9	Providing lead caulked joints to spun iron or C.I. pipes and specials including testing of joints but excluding the cost of pig lead :				
	150 mm diameter pipe	each	28.00		

10	Supplying pig lead at site of work.	quintal	1.00		
11	Providing flanged joints to double flanged C.I./ D.I. pipes and specials including testing of joints :				
	100 mm diameter pipe	each	16.00		
12	Providing and fixing C.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately) :				
a)	150 mm diameter				
	Class II	each	3.00		
b)	100 mm diameter				
	Class II	each	3.00		
13	Constructing masonry Chamber 90x90x100 cm, inside with 75 class designation brick work in cement mortar 1:4 (1 cement : 4 coarse sand) for sluice valve, with C.I. surface box 100 mm. top diameter, 160 mm bottom diameter and 180 mm deep (inside) with chained lid and RCC top slab 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) necessary excavation foundation concrete 1:5:10 (1 cement : 5 fine sand:10 graded stone aggregate 40 mm nominal size) and inside plastering with cement mortar 1:3 (1 cement : 3 coarse sand) 12 mm thick finished with a floating coat of neat cement complete as per standard design :				
	With F.P.S. bricks	each	6.00		
14	Providing and fixing G.I. Union in G.I. pipe including cutting and threading the pipe and making long screws etc. complete (New work)				
	15 mm nominal bore	each	2.00		
	Total Rs.				

EXECUTIVE ENGINEER (C)/M